SEMI-CIRCULAR ACRYLIC DOMED SKY-LIGHT CONT.

½" DRYWALL

2x6 WD NAILER SECURE TO BM w/ ⅝" Ø BOLTS @ 5'-0" o.c.

BEAM ENCLOSURE BEYOND

SUSPENDED ½" GYPSUM WITH COVERED w/ ⅛" COUNTER FINISH

FACE BRICK, SOLID 8in COURSE RUNNING BOND, w/ STACK JOINTS 2 1/4"x2 1/4" IN EVERY HOUSE 16'-0" C.T. SECURE STRAP ANCHOR TO BRICKS

10'-6" WALL FLOOR TO CEILING

FINISHED FLOOR

MALL FIN. EL. ELEV. 0.00"

6" CONC. SLAB w/ 6x6 W.W.F. ON 6" G.B.P.

CONC. FTG UNDER VERTICAL PIERS

FLOOR LINE OF TENANT SPACE

SHAPE OF COLUMN PIER

FACE BRICK - RUNNING BOND w/ TYPICAL GROOVE JOINTS

HORIZONTAL WALL REINFORCING AT 16" o.c.

FACE BRICK - SOLDIER COURSE RUNNING BOND

2-2x6 WD BLOCKING SECURE TO TOP OF STL. BM. w/ ½" Ø @ 5'-0" o.c.

2-2x6 WD. BLOCKING SECURE TO STL BM w/ ⅝" Ø BOLTS @ 6'-0" o.c.

INSULATED CANT

PLASTIC FLASHING

BUILT-UP ROOF

1½" RIGID INSULATION

1½" METAL DECK

10" I-BEAM EXTENDED END

STL. BM.

5/8" PLYWOOD SECURE TO VERT. FACE OF 2x6 WD. NAILER

2-ANGLES - SECURE TO 5"x5"x½" L w/ ¾" Ø BOLTS @ 6'-0" o.c.

CONSTRUCT FRAME OF 2x6 WD & PLYWD WITH VERTICAL PIECES OF 2" ALONG STORE FRONT IN ALIGNMENT ALONG MALL

6"x 3½"x ½" CONT. w/ ½" Ø STL. BOLTED TO L

NOTE!! LINE OF STORE FRONT - TENANTS STORE FRONT NOT TO EXTEND IN FRONT OF THIS LINE. (LEASE LINE)

3 15/15 SECTION THRU MALL STORE FRONT
4.5 6.67 SCALE

6 15/15 PLAN SECTION OF MALL NEUTRAL PIERS
MALL NEUTRAL PIERS SCALE

STRAP ANCHOR - WELD TO BM. & EMBED INTO MASONRY @ 32" o.c.

FACE BRICK - SOLDIER COURSE RUNNING BOND

HORIZONTAL WALL REINF. @ 16" o.c. w/ BRACE TIES @ 16" o.c.

TOPMOST

FACE BRICK - RUNNING BOND

FACE BRICK

⅝" PLYWOOD, SECURE TO VERT. FACE OF 2x6 WD. NAILER

2x6 WD. NAILER, SECURE TO 5"x3½"x½" L w/ ⅝" Ø BOLTS @ 16" o.c.

5"x3½"x½" L FRAME

6"x 3½"x ½" L (L.L.V.)

5 15/15 SCALE 1½"=1'-0"

CONST. JOINT

TYPICAL WALL BEAM & BRACE TYP. 8-8"x16" STL. BM. PER SPAN SPACED @ 8'-6" & 2nd. 5'-10" SPACED @ 8'-6" & 2nd. 5'-10" SPACED @ 8'-6" & 2nd. 5'-10"