

Rev	Description
06.15.16	Plan Check Submittal

Drawing
DOOR SCHEDULE

Date June 15, 2016
Scale 1/4"=1'-0"
Sheet

All drawings and written material appearing herein constitute original and unpublished work of BO.SHI Architects and may not be duplicated, used or disclosed without written consent of BO.SHI Architects.

Sheet

A7.20

No.	Location	Hdw.	Leaf Size		Thick	Leaf	Frame	Details			Remarks
			W	H				Head	Jamb	Thresh	
001.1	Lobby		2'-6" x 2	10'-0"		Wood swinging					Double Doors
002.1	Hall Elevator		2'-10"	10'-0"		Wood swinging					LH swing
003.1	Powder		2'-10"	10'-0"		Wood swinging					RH swing
004.1	Laundry		2'-10"	10'-0"		Wood swinging					LH swing
005.1	Theater		2'-6" x 2	10'-0"		Wood swinging					Double Doors
006.1	Mech		2'-10"	10'-0"		Wood swinging					LH swing
007.1	Wine		2'-6" x 2	10'-0"		Alum frame glazing double swing doors					Double Doors
008.1	Mech		3'-0"	10'-0"		Wood swinging					RH swing
009.1	Bath 009		2'-10"	10'-0"		Wood swinging					LH swing
011.1	Bedroom 011		3'-0"	10'-0"		Wood swinging					LH swing
101.1	Entry		3'-0"	10'-6"		Wood swinging pivot					LH swing pivot
102.1	Bedroom 102		2'-10"	10'-6"		Wood swinging					LH swing
103.1	Bath 103		2'-10"	10'-6"		Wood swinging					LH swing
104.1	Garage		18'-0"	10'-6"		Alum garage door					
105.1	Powder		2'-10"	10'-6"		Wood swinging					LH swing
106.1	Kitchen Elevator		2'-10"	10'-6"		Wood swinging					RH swing
106.2	Kitchen Patio		8'-6"	10'-6"		Alum frame glazing slider 2 panel					slider
107.1	Living Room		17'-0"	10'-6"		Alum frame glazing slider 4 panel					slider
108.1	Dining		3'-7 1/2"	10'-6"		Alum frame glazing pivot					pivot
150.1	Outdoor Bath 150		2'-8"	9'-6"		Wood swinging					LH swing
201.1	Hall 201		7'-0"	9'-6"		Alum frame glazing slider 2 panel					slider
201.2	Hall 201 Elevator		3'-0"	9'-6"		Wood swinging					LH swing
202.1	Bedroom 202		3'-0"	9'-6"		Wood swinging					LH swing
202.2	Bedroom closet		2'-8"	9'-6"		Wood swinging					RH swing
203.1	Bath 203		2'-10"	9'-6"		Wood swinging					LH swing
204.1	Bath 204		2'-10"	9'-6"		Wood swinging					RH swing
205.1	Bedroom 205		3'-0"	9'-6"		Wood swinging					RH swing
206.2	Bedroom Deck		18'-0"	9'-6"		Alum frame glazing slider 4 panel (3 fixed)					slider
206.3	Equipment		2'-10"	9'-6"		Wood swinging					LH swing
206.1	Master Bath		2'-8"	9'-6"		Wood swinging					LH swing
207.1	Master Bedroom		6'-0"	9'-6"		Wood swinging pivot					LH swing pivot
207.2	Master Bedroom		18'-4"	9'-6"		Alum frame glazing slider 4 panel (3 fixed)					slider
208.1	Master Closet		3'-6"	9'-6"		Wood Pocket					pocket

Dimensions are for estimating purposes only. Confirm dimensions in field.
All visible hardware finish to be specified by designer. Provide T-sticks on each latching door.

SYMBOLS	
(E)	EMERGENCY EGRESS
(T)	TEMPERED GLAZING (SEE GLAZING NOTES)

GLAZING NOTES:

- GLAZING IN THE FOLLOWING LOCATIONS SHALL BE SAFETY GLAZING CONFORMING TO THE HUMAN IMPACT LOADS OF SECTION R308.3 (SEE EXCEPTIONS) (R308.4)
 - FIXED AND OPERABLE PANELS OF SWINGING, SLIDING AND BI-FOLD DOOR ASSEMBLIES
 - GLAZING IN AN INDIVIDUAL FIXED OR OPERABLE PANEL ADJACENT TO A DOOR WHERE THE NEAREST VERTICAL EDGE IS WITHIN A 24-INCH ARC OF EITHER VERTICAL EDGE OF THE DOOR IN A CLOSED POSITION AND WHOSE BOTTOM EDGE IS LESS THAN 60 INCHES ABOVE THE FLOOR OR WALKING SURFACE.
- GLAZING IN AN INDIVIDUAL FIXED OR OPERABLE PANEL THAT MEETS ALL OF THE FOLLOWING CONDITIONS:
 - EXPOSED AREA OF AN INDIVIDUAL PANE GREATER THAN 9 SF
 - BOTTOM EDGE LESS THAN 18" ABOVE THE FLOOR
 - TOP EDGE GREATER THAN 36" ABOVE THE FLOOR
 - ONE OR MORE WALKING SURFACES WITHIN 36" HORIZONTALLY OF THE GLAZING
- GLAZING IN RAILINGS
- GLAZING WHERE THE BOTTOM EXPOSED EDGE OF THE GLAZING IS LESS THAN 36" ABOVE THE PLANE OF THE ADJACENT WALKING SURFACE OF STAIRWAYS, LANDINGS BETWEEN FLIGHTS OF STAIRS AND RAMP.

